

SOUTH AUSTRALIA

SEEDS REGULATIONS, 1986

REGULATIONS UNDER THE SEEDS ACT, 1979

Seeds Regulations, 1986

being

No. 154 of 1986: *Gaz.* 14 August 1986, p. 522

as varied by

No. 46 of 1987: *Gaz.* 2 April 1987, p. 853

No. 235 of 1987: *Gaz.* 1 October 1987, p. 1025¹

No. 217 of 1988: *Gaz.* 20 October 1988, p. 1356²

No. 184 of 1989: *Gaz.* 12 October 1989, p. 1179

No. 224 of 1991: *Gaz.* 31 October 1991, p. 1208

No. 236 of 1991: *Gaz.* 28 November 1991, p. 1393

No. 204 of 1992: *Gaz.* 19 November 1992, p. 1573³

No. 75 of 1994: *Gaz.* 2 June 1994, p. 1634⁴

No. 2 of 1997: *Gaz.* 2 January 1997, p. 38⁵

- ¹ Came into operation 1 October 1987: reg. 2.
- ² Came into operation 31 October 1988: reg. 2.
- ³ Came into operation 19 November 1992: reg. 2.
- ⁴ Came into operation 1 July 1994: reg. 2.
- ⁵ Came into operation 2 January 1997: reg. 2.

2.

Short title

1. These regulations may be cited as the *Seeds Regulations, 1986*.

Revocation of prior regulations

2. All regulations previously made under the Act (see *Gazette* 21 July, 1983, p. 174, 26 April, 1984, p. 1013 and 24 January, 1985 p. 242) are revoked.

Interpretation

3. (1) In these regulations—

"the Act" means the *Seeds Act, 1979*;

"the Department" means the Department of Primary Industries;

"inert matter" means inert matter ascertained in accordance with the rules of the International Seed Testing Association;

"vendor" means a person who sells seeds in the course of a business.

(2) In these regulations—

(a) seeds of a leguminous species are described as "fresh" if they remain dormant when subjected to the germination test;

(b) seeds of a leguminous species are described as "hard" if they remain unswollen when subjected to the germination test.

Seeds to which the Act applies

4. The Act applies to seeds of every species of plants except ornamental flowers and trees.

Noxious organisms and noxious seeds

5. (1) The ryegrass toxicity organism, *Anguina funesta*, Price, Fisher and Kerr is a noxious organism.

(2) Seeds of the species set out in schedule 1 are noxious seeds.

Section 7 statement

6. (1) The statement to be furnished in pursuance of section 7 of the Act—

(a) must be in the English language;

(b) must be easily legible;

3.

and

(c) if printed, must be printed in print of a size of at least 8 points.

(2) Seeds of the species set out in schedule 2 are seeds of prescribed species for the purposes of section 7(3)(ac) of the Act and where a particular quantity of seeds includes seeds of one or more of those species, the statement must—

(a) specify each of those species;

and

(b) specify the proportion (expressed as a number per unit mass) constituted by seeds of each of those species.

(3) For the purposes of section 7(3)(b) of the Act—

(a) the proportion of seeds of a particular species that might reasonably be expected to germinate shall be determined in accordance with the rules of the International Seed Testing Association;

and

(b) fresh or hard seeds of a leguminous species shall not be regarded as seeds that might reasonably be expected to germinate.

(4) Where seeds have been treated with a fungicidal or insecticidal seed dressing, the statement must include a warning in the following form:

"CAUTION—TREATED WITH (*here insert the name which may appear as the brand name or the recognized common name of the fungicidal or insecticidal agent with which the seeds have been treated*) DO NOT USE FOR FOOD, FEED OR OIL."

(5) Where a particular quantity of seeds includes seeds of species other than a principal species (as defined by section 7(8) of the Act), the statement must specify the proportion (expressed as a percentage of total mass) constituted by the seeds of non-principal species.

(6) For the purposes of section 7(5a) of the Act, the information supplied in a statement given under section 7 of the Act must conform with the tolerances prescribed by the International Seed Testing Association.

(7) For the purposes of the definition of "principal species" in section 7(8) of the Act the prescribed percentage is—

(a) in relation to turf mixtures—1%;

(b) in relation to all other mixtures—5%.

(8) In a statement given in pursuance of section 7 of the Act seed species may be identified either by the recognized common name of the species or by the botanical name of the species.

4.

Exemption

7. (1) Where seeds are sold in a parcel with a net mass of less than—

- (a) in the case of vegetable or herb seeds—the mass shown in schedule 3;
- (b) in the case of lawn or turf seeds—10 kilograms;
- (c) in the case of seeds for agricultural or pastoral use—25 kilograms,

the vendor is exempted from the provisions of section 7 of this Act in relation to the sale.

(2) Where seeds of a species referred to in Schedule 4 are not to be used for germination or propagation, the vendor is exempted from the provisions of section 7 of the Act in relation to the sale.

(3) The Minister may, by notice published in the *Gazette*—

- (a) grant an exemption from all or any of the provisions of section 7;

or

- (b) vary or revoke an exemption previously granted under this subregulation.

(4) An exemption under subregulation (3)—

(a) may operate by reference to—

- (i) species of seeds;
- (ii) quantities of seeds;
- (iii) any other factor or combination of factors;

and

- (b) may be subject to such conditions as the Minister thinks fit.

5.

(5) Where an exemption is granted conditionally, a vendor is not entitled to the benefit of the exemption unless the condition is complied with.

Branding of Parcel

8. (1) Where seeds are contained in a parcel, the parcel must be branded with a code or mark identifying the seed lot from which the seeds come.

(2) A vendor who sells a parcel of seeds that is not branded as required by subregulation (1) is guilty of an offence.

Penalty: \$200

Qualifications of Analyst

9. For the purposes of section 10 of the Act, the prescribed qualifications for an analyst are as follows:

- (a) a degree or diploma in botany, or following specialization in botany, awarded by an Australian tertiary education institution;
- (b) an Australian Seed Testing Proficiency Certificate awarded by the Australian Seeds Committee of the Standing Committee on Agriculture or some other qualification approved by the Standing Committee as equivalent to that certificate.

Mass of seeds

10. In determining the mass of a particular quantity of seeds for the purposes of these regulations, the seeds shall be deemed to have a total mass equivalent to the mass of the seeds and of any inert matter mixed with the seeds.

Sampling and analysis of seeds

11. In the sampling and analysis of seeds for the purposes of the Act, the rules of the International Seed Testing Association must be observed.

Seed analysis service

12. Fees payable for the seed analysis service provided by the Department are set out in Schedule 5.

*Proof of the Rules, etc., of the International Seed
Testing Association*

13. (1) For the purposes of the Act and these regulations, the rules and determinations of the International Seed Testing Association shall be determined by reference to *Seed Science and Technology* and the other official publications of the Association.

(2) A book, magazine or document purporting to be a publication of the International Seed Testing Association may be accepted by any court as evidence of the rules and determinations of the International Seed Testing Association.

6.

(3) In any proceedings for an offence against the Act, an allegation made by the prosecution that the rules of the International Seed Testing Association were observed in relation to the sampling or testing of the seeds to which the proceedings relate shall, in the absence of proof to the contrary, be accepted as proved.

SCHEDULE 1

(Regulation 5(2))

Noxious Seeds

Common name	Botanical name
African boxthorn	<i>Lycium ferocissimum</i>
African feathergrass	<i>Pennisetum macrourum</i>
African lovegrass	<i>Eragrostis curvula</i>
African rue	<i>Peganum harmala</i>
Alkali sida	<i>Malvella leprosa</i>
Alligator weed	<i>Alternanthera philoxeroides</i>
Arrowhead	<i>Sagittaria montevidensis</i>
Azzarola	<i>Crataegus sinaica</i>
Bathurst burr	<i>Xanthium spinosum</i>
Bifora	<i>Bifora testiculata</i>
Blackberry	<i>Rubus fruticosus</i> spp. agg.
Bladder campion	<i>Silene vulgaris</i>
Boneseed	<i>Chrysanthemoides monilifera</i>
Bridal creeper	<i>Myrsiphyllum asparagoides</i>
Bulbil watsonia	<i>Watsonia bulbillifera</i>
Calomba daisy	<i>Pentzia suffruticosa</i>
Caltrop	<i>Tribulus terrestris</i>
Cape broom	<i>Genista monspessulana</i>
Cape tulips	<i>Homeria</i> spp.
Chilean dodder	<i>Cuscuta suaveolens</i>
Creeping knapweed	<i>Acroptilon repens</i>
Cutleaf mignonette	<i>Reseda lutea</i>
Dog rose	<i>Rosa canina</i>
Elodea	<i>Elodea canadensis</i>
English broom	<i>Cytisus scoparius</i>
False caper	<i>Euphorbia terracina</i>
Field bindweed	<i>Convolvulus arvensis</i>
Field garlic	<i>Allium vineale</i>
Golden dodder	<i>Cuscuta campestris</i>
Gorse	<i>Ulex europaeus</i>
Hemlock	<i>Conium maculatum</i>
Hoary cress	<i>Cardaria draba</i>
Horehound	<i>Marrubium vulgare</i>
Innocent weed	<i>Cenchrus incertus</i> or <i>C. longispinus</i>
Johnson grass	<i>Sorghum halepense</i>
Khaki weed	<i>Alternanthera pungens</i>
Lagarosiphon	<i>Lagarosiphon major</i>
Leafy elodea	<i>Egeria densa</i>
Leafy spurge	<i>Euphorbia esula</i>
Lincoln weed	<i>Diploaxis tenuifolia</i>
May	<i>Crataegus monogyna</i>
Mesquite	<i>Prosopis</i> spp.
Muskweed	<i>Myagrum perfoliatum</i>
Nightstock	<i>Matthiola longipetala</i>
Noogoora burr complex	<i>Xanthium strumarium</i> spp. agg.
Onion weed	<i>Asphodelus fistulosus</i>
Parkinsonia	<i>Parkinsonia aculeata</i>
Parthenium weed	<i>Parthenium hysterophorus</i>

Perennial ragweed	<i>Ambrosia</i> spp.
Perennial thistle	<i>Cirsium arvense</i>
Pheasant's eye	<i>Adonis microcarpa</i>
Poison ivy	<i>Toxicodendron radicans</i>
Prickly pear	<i>Opuntia</i> spp. excl. <i>O. ficus-indica</i>
Ragwort	<i>Senecio jacobaea</i>
Rampion mignonette	<i>Reseda phyteuma</i>
Red dodder	<i>Cuscuta planiflora</i>
Rhus tree	<i>Toxicodendron succedaneum</i>
Sagittaria	<i>Sagittaria graminea</i>
Salvation Jane	<i>Echium plantagineum</i>
Salvinia	<i>Salvinia molesta</i>
Serrated tussock	<i>Nassella trichotoma</i>
Silverleaf nightshade	<i>Solanum elaeagnifolium</i>
Skeleton weed	<i>Chondrilla juncea</i>
Soldier thistle	<i>Picnomon acarna</i>
Soursob	<i>Oxalis pes-caprae</i>
Star of Bethlehem	<i>Ornithogalum</i> spp.
Sweetbriar	<i>Rosa rubiginosa</i>
Three corner jack	<i>Emex australis</i>
Variigated thistle	<i>Silybum marianum</i>
Water hyacinth	<i>Eichhornia crassipes</i>
Wild artichoke	<i>Cynara cardunculus</i>
Yellow burrweed	<i>Amsinckia</i> spp.

SCHEDULE 2

(Regulation 6(2))

Common name	Botanical name
African daisy	<i>Senecio pterophorus</i>
Ball mustard	<i>Neslia paniculata</i>
Black bindweed	<i>Polygonum convolvulus</i>
Broom rapes	<i>Orobanche</i> spp.
Buchan weed	<i>Hirschfeldia incana</i>
Buffalo burr	<i>Solanum rostratum</i>
Bulbous oatgrass	<i>Arrhenatherum elatius</i>
Burrgrass	<i>Cenchrus brownii</i>
Charlock	<i>Sinapis arvensis</i>
Cleavers or Bedstraws	<i>Galium</i> spp.
Docks	<i>Rumex</i> spp. (except <i>Rumex acetosella</i>)
Fennel	<i>Foeniculum vulgare</i>
Gallon's curse	<i>Cenchrus biflorus</i>
Glaucous star thistle	<i>Carthamus glaucus</i>
Italian bugloss	<i>Echium italicum</i>
King Island Melilot or Hexham scent	<i>Melilotus indica</i>
Mexican poppy	<i>Argemone mexicana</i>
Mossman river grass	<i>Cenchrus echinatus</i>
Saffron thistle	<i>Carthamus lanatus</i>
Slender thistle	<i>Carduus tenuiflorus</i>
Spear thistle	<i>Cirsium vulgare</i>
Star thistle	<i>Centaurea calcitrapa</i>
St. Barnaby's thistle	<i>Centaurea solstitialis</i>
St. John's wort	<i>Hypericum perforatum</i>
Thistles	<i>Onopordum</i> spp.
Three cornered garlic	<i>Allium triquetrum</i>
Topped lavender	<i>Lavandula stoechas</i>
Viper's bugloss	<i>Echium vulgare</i>
Ward's weed	<i>Carrichtera annua</i>
Wild mignonette	<i>Reseda luteola</i>
Wild radish	<i>Raphanus raphanistrum</i>
Wild turnip	<i>Brassica tournefortii</i>

SCHEDULE 3

(Regulation 7(1))

Parcel mass in relation to vegetable and herb seeds.

Common Name	Botanical Name	Mass kg.
Artichoke, Globe	<i>Cynara scolymus</i>	0.100
Asparagus	<i>Asparagus officinalis</i>	0.100
Bean, Broad	<i>Vicia faba</i>	1.000
Bean, Bush, Common, or French	<i>Phaseolus vulgaris</i>	1.000
Bean, Lima	<i>Phaseolus lunatus</i>	1.000
Bean, Mung	<i>Vigna radiata</i>	1.000
Bean, Navy	<i>Phaseolus vulgaris</i>	1.000
Bean, Pinto	<i>Phaseolus vulgaris</i>	1.000
Bean, Rice	<i>Vigna umbellata</i>	1.000
Bean, White Dutch	<i>Phaseolus coccineus var. albus</i>	1.000
Beet, Red or Beetroot	<i>Beta vulgaris</i>	1.000
Beet, Silver	<i>Beta vulgaris var. cicla</i>	0.100
Broccoli, Sprouting	<i>Brassica oleracea var. italica</i>	0.100
Brussels sprouts	<i>Brassica oleracea var. gemmifera</i>	0.100
Cabbage	<i>Brassica oleracea var. capitata</i>	0.100
Cabbage, Chinese Pakchoi	<i>Brassica chinensis</i>	0.100
Cabbage, Chinese Pe-Tsai	<i>Brassica pekinensis</i>	0.100
Cantaloup or Rockmelon	<i>Cucumis melo var. cantalupensis</i>	0.100
Carrot	<i>Daucus carota</i>	0.100
Cauliflower	<i>Brassica oleracea var. botrytis</i>	0.100
Celeriac	<i>Apium graveolens var. repaceum</i>	0.100
Celery	<i>Apium graveolens</i>	0.100
Chicory	<i>Cichorium intybus</i>	0.100
Corn, Sweet	<i>Zea mays var. saccharata</i>	1.000
Cress, Garden	<i>Lepidium sativum</i>	0.100
Cress, Water	<i>Nasturtium officinale</i>	0.100
Cucumber	<i>Cucumis sativus</i>	0.100
Dandelion	<i>Taraxacum officinale</i>	0.100
Eggplant	<i>Solanum melongena</i>	0.100
Endive	<i>Cichorium endivia</i>	0.100
Fennel, Florence	<i>Foeniculum vulgare var. dulce</i>	0.100
Kale or Borecole (Table Varieties only)	<i>Brassica oleracea var. acephala</i>	0.100
Kohlrabi	<i>Brassica oleracea var. gongyloides</i>	0.100
Leek	<i>Allium porrum</i>	0.100
Lettuce, Cos or Romaine	<i>Lactuca sativa var. longifolia</i>	0.100
Lettuce, Head	<i>Lactuca sativa var. capitata</i>	0.100

11.

Lettuce, Leaf	<i>Lactuca sativa</i> var. <i>crispa</i>	0.100
Marjoram	<i>Origanum vulgare</i>	0.100
Marrow	<i>Cucurbita pepo</i>	0.100
Melon, Citron or Jam	<i>Citrullus lanatus</i>	0.100
Mustard	<i>Brassica juncea</i>	0.100
Okra	<i>Abalmoschus escelentus</i>	0.100
Onion	<i>Allium cepa</i>	0.100
Passion fruit	<i>Passiflora edulis</i>	0.100
Parsley	<i>Petroselinum crispum</i>	0.100
Parsnip	<i>Pastinaca sativa</i>	0.100
Pea (Garden)	<i>Pisum sativum</i>	1.000
Pepper, Sweet or Bell (Capsicum)	<i>Capsicum annuum</i>	0.100
Pepper, Hot or Tabasco	<i>Capsicum annuum</i>	0.100
Pumpkin	<i>Cucurbita pepo</i>	0.100
Radish	<i>Raphanus sativus</i>	0.100
Rhubard	<i>Rheum rhabarbarum</i>	0.100
Sage	<i>Salvia officinalis</i>	0.100
Salsify	<i>Tragopogon porrifolius</i>	0.100
Spinach	<i>Spinacia oleracea</i>	0.100
Squash, Summer	<i>Cucurbita pepo</i> var. <i>melopepo</i>	0.100
Squash, Marrow and Zucchini	<i>Cucurbita pepo</i> var. <i>medullosa</i>	0.100
Squash, Winter	<i>Cucurbita maxima</i> (C. <i>moschata</i>)	0.100
Swede	<i>Brassica napus</i> var. <i>napobrassica</i>	0.100
Thyme	<i>Thymus vulgaris</i>	0.100
Tomato	<i>Lycopersicon esculentum</i>	0.100
Turnip, Table	<i>Brassica rapa</i>	0.100
Watermelon	<i>Citrullus lanatus</i>	0.100

SCHEDULE 4

(Regulation 7(2))

Species of seeds to which section 7 of the Act does not apply if not to be used for germination or propagation:

Common Name	Botanical Name
Almond	<i>Prunis dulcis</i>
Anise	<i>Pimpinella anisum</i>
Balm	<i>Melissa officinalis</i>
Barley	<i>Hordeum vulgare</i>
Basil	<i>Ocimum basilicum</i>
Bean, Field or Faba	<i>Vicia faba</i>
Mung	<i>Vigna radiata</i>
Soy	<i>Glycine max</i>
Bergamot	<i>Monardo didyma</i>
	<i>Monardo citriodora</i>
Borage	<i>Borago officinalis</i>
Buckwheat	<i>Fagopyrum esculentum</i>
Burnet	<i>Sanguisorba minor</i>
Canarygrass	<i>Phalaris canariensis</i>
Caraway	<i>Carum carvi</i>
Catnip	<i>Nepeta cataria</i>
Celeriac	<i>Apium graveolens var. rapaceum</i>
Celery	<i>Apium graveolens var. dulce</i>
Chamomile	<i>Chamaemelum nobile</i>
Chervil	<i>Anthriscus cerefolium</i>
Chickpea	<i>Cicer arietinum</i>
Chives	<i>Allum schoenoprasum</i>
Coriander	<i>Coriandrum sativum</i>
Corn	<i>Zea mays</i>
Cornsalad	<i>Valerianella spp.</i>
Cotton	<i>Gossypium arboreum</i>
Cress, American	<i>Barbarae verna</i>
Garden	<i>Lepidium sativum</i>
Water	<i>Nasturtium officinale</i>
Cumin	<i>Cuminum cyminum</i>
Dill	<i>Anethum graveolens</i>
Endive	<i>Cichorium endivia</i>
Fennel	<i>Foeniculum vulgare</i>
Fenugreek	<i>Trigonella foenum-graecum</i>
Flax	<i>Linum usitatissimum</i>
Hyssop	<i>Hyssopus officinalis</i>
Lavender	<i>Lavandula spp.</i>
Lentil	<i>Lens culinaris</i>
Linseed	<i>Linum usitatissimum</i>
Lovage	<i>Levisticum officinale</i>
Lupin, Narrow leaved	<i>Lupinus angustifolius</i>
Yellow	<i>Lupinus luteus</i>
White	<i>Lupinus albus</i>
Marjoram	<i>Origanum vulgare</i>

Millet, French	<i>Panicum miliaceum</i>
Indian	<i>Eleusine coracana</i>
Italian	<i>Setaria italica</i>
Japanese	<i>Echinochloa frumentacea</i>
Mint	<i>Mentha spp.</i>
Mugwort	<i>Artemisia vulgaris</i>
Mustard, Black	<i>Brassica nigra</i>
Indian	<i>Brassica juncea</i>
Indian hedge	<i>Sisymbrium orientale</i>
White	<i>Sinapsis alba</i>
Niger	<i>Guizotia abyssinica</i>
Oat	<i>Avena sativa</i>
Parsley	<i>Petroselinum crispum</i>
Pea	<i>Pisum sativum</i>
Peanut	<i>Arachis hypogaea</i>
Purslane	<i>Portulaca oleracea</i>
Rape	<i>Brassica napus</i>
	<i>Brassica campestris</i>
Rice	<i>Oryza sativa</i>
Rocket	<i>Eruca vesicaria ssp. sativa</i>
Rosemary	<i>Rosmarinus officinalis</i>
Rue	<i>Penanum harmala</i>
Rye	<i>Secale cereale</i>
Safflower	<i>Carthamus tinctorius</i>
Sage	<i>Salvia officinalis</i>
Savory	<i>Satureja spp.</i>
Sesame	<i>Sesamum indicum</i>
Sorghum	<i>Sorghum vulgare</i>
Sunflower	<i>Helianthus annuus</i>
Sweet cecily	<i>Myrrhus odoratus</i>
Tarragon	<i>Artemisia dracunculus</i>
Thyme	<i>Thymus vulgaris</i>
Triticale	<i>Triticosecale spp.</i>
Valerian	<i>Valeriana officinalis</i>
Wheat	<i>Triticum aestivum</i>
Woodruff	<i>Asperula spp.</i>
Wormwood	<i>Artemisia absinthium</i>

SCHEDULE 5
Fees for Seed Analysis Service
(Regulation 12)

Interpretation

1. In this Schedule—

"**certificate of analysis**" means a certificate issued by the Department as to tests conducted by the Department and the results of those tests;

"**International Certificate**" means a certificate as to purity and germination issued by the Department with the authority of the International Seed Testing Association;

"**ISTA**" means the International Seed Testing Association.

Table of fees

2. The fees payable to the Department in respect of seed analysis services are set out in the following table:

	Service	Fee
1.	Purity analysis of seeds of—	
	(a) Group 1 species	\$27.60
	(b) Group 2 species	\$35.80
	(c) Group 3 species	\$43.90
	(d) Group 4 species	\$50.00
2.	Germination analysis of seeds of—	
	(a) Group 1 species	\$29.00
	(b) Group 2 species	\$31.50
	(c) Group 3 species	\$34.50
	(d) Group 4 species	\$40.00
3.	Determination of moisture content—	
	(a) ISTA test	\$21.00
	(b) other tests	\$10.20
4.	Weed seed count—	
	(a) including count of prohibited seeds	\$27.60
	(b) including count of all species	\$34.50
5.	Tetrazolium test for whether seed is alive or dead—	
	(a) for cereals and grain legumes	\$55.80
	(b) for grasses and other species	\$60.00
6.	Analysis of seed mixture—	
	(a) purity analysis of seeds included in mixture—	
	· if the mixture comprises 2 species	\$38.00
	· if the mixture comprises 3 species	\$42.00
	· if the mixture comprises at least 4 species	\$48.50
	(b) germination analysis of seeds included in mixture—	
	· analysis of combined species in mixture	\$29.00
	· in addition, for each species analysed	\$29.00
7.	Number of seeds per unit mass—	
	(a) field crop species	\$14.40
	(b) all species other than field crops	\$27.60
8.	Seed identification for each species identified	\$6.10
9.	Seed identification by chemical means	\$10.00

	Service	Fee
10.	Cultivar determination—	
	(a) by grow-on test	\$80.00
	(b) by visual assessment	\$15.00
11.	Fluorescence test	\$27.60
12.	Sprouting test (not to ISTA rules)—	
	(a) without purity analysis	\$34.50
	(b) including purity analysis	\$55.10
13.	Purity analysis of seeds (not to ISTA rules) for quality assurance purposes—	
	(a) for samples provided by Freepost (Australia wide)	\$36.70
	(b) for all other samples	\$27.60
14.	Issue of International Certificate—	
	(a) if analysis is not required	\$12.30
	(b) if purity analysis is required of—	
	· Group 1 species	\$34.00
	· Group 2 species	\$40.00
	· Group 3 species	\$46.00
	· Group 4 species	\$52.00
	(c) if germination analysis is required of—	
	· Group 1 species	\$36.00
	· Group 2 species	\$38.35
	· Group 3 species	\$40.50
	· Group 4 species	\$44.00
15.	Emergence test	\$27.60
16.	For issuing—	
	(a) an interim certificate of analysis	\$2.50
	(b) a duplicate certificate of analysis	\$2.50
17.	A 15 per cent surcharge is payable for each test or analysis required to be carried out on dirty samples.	

Grouping of species

3. For the purposes of this Schedule, species are grouped as follows:

Species	Group No. for Purity Analysis	Group No. for Germination Analysis
Alysicarpus	2	2
Anise	2	3
Asparagus	1	3
Australian Native Species	3	3
Bahia Grass	3	3
Barley	1	1
Basil	1	2
Beans		
Broad	1	2
Common	1	2
Faba	1	2
Mung	1	2
Soy	1	2
Tic	1	2
Velvet	1	2
Beet/Mangels	3	3
Bentgrass/Browntop	3	3
Bermuda Grass	2	2
Birdsfoot Trefoil	3	2
Bluegrass	3	3
Borage	1	1
Brachaira	3	2
Brassica	2	2
Broad Leaf Paspalum	3	3
Broccoli	1	2
Brome		
Californian	2	2
Grass Awnless	2	2
Broom Millet	2	2
Browntop/Bentgrass	3	3
Brussel Sprouts	2	2
Buckwheat	1	1
Buffel Grass	3	3
Burnet, Sheep's	1	1
Butterfly Pea	1	2
Cabbage	2	2
Calopa	1	2
Canada Bluegrass	2	2
Canary Grass		
Blue	2	2
Red	2	2
Canteloupe	1	2
Cape Gooseberry	2	2
Capsicum/Pepper	1	2
Caraway	2	3
Carpet Grass	2	3
Carrot	2	3
Cauliflower	2	2
Celeriac	2	3
Celery	2	3

Species	Group No. for Purity Analysis	Group No. for Germination Analysis
Centro	1	2
Chervil	2	3
Chicory	1	3
Chinese Cabbage	2	2
Chives	1	2
Chou Moellier	2	2
Chrysanthemum	1	3
Clovers		
Alsike	2	2
Arrowleaf	2	2
Balansa	4	2
Berseem	2	2
Bladder	2	2
Bokhara	2	2
Boyd's	3	2
Cluster	3	2
Crimson	2	2
Cupped	2	2
Drooping Flowered	3	2
Globe	2	2
Hop	3	2
Lappa	3	2
Purple	2	2
Red (Cowgrass)	2	2
Rose	2	2
Shaftal/Persian	3	2
Strawberry	3	2
Subterranean	2	2
Suckling	3	2
White	4	2
Cocksfoot	4	3
Columbus Grass	3	3
Coriander	2	3
Corn/Maize	1	2
Cotton	2	3
Couchgrass	2	3
Cress		
Garden	2	2
Water	2	2
Crested Dogstail	2	2
Crotalaris	1	1
Cucumber	1	2
Cumin	2	3
Dallis Grass	4	3
Desmodium		
Greenleaf	2	2
Silverleaf	2	2
Dill	2	3
Dolichos	1	2
Egg Plant	1	2
Endive	1	3
Evening Primrose	2	3
Fennel	2	3

Species	Group No. for Purity Analysis	Group No. for Germination Analysis
Fenugreek	1	2
Fescue		
Chewings, Red	3	3
Demeter, Tall	3	3
Hard	3	3
Meadow	3	3
Sheep's	3	3
Flax	2	2
Flinders Grass	3	3
Foxtail Grass		
Meadow	3	3
Foxtail/Italian Millet	2	2
Garlic	1	2
Giant/Blue, Panic	3	3
Glycine	1	2
Gourds	1	2
Greater Lotus	3	2
Green Panic Grass	3	3
Guar Bean	1	2
Guinea Grass	3	3
Hemp	1	3
Jojoba Bean	1	2
Kale	2	2
Kale Chinese	2	2
Kazungula Setaria	1	2
Kenaf	1	2
Kentucky Bluegrass	2	3
Kidney Weed	1	2
Kikuyu Grass	1	3
Lavender	1	2
Leek	1	2
Lentil	1	2
Lespedeza	1	2
Lettuce	1	3
Leucaena	1	2
Linseed	2	2
Liverseed Grass	2	2
Lotononis	3	2
Lotus	3	2
Lovegrass	3	3
Lucerne	1	2
Lupins	1	2
Maize	1	2
Makarikari Grass	2	2
Marjoram	3	3
Marrow	1	2
Marsh Grass	2	3
Meadow Foxtail	3	3
Meadow Grass	2	3

Species	Group No. for Purity Analysis	Group No. for Germination Analysis
Medics		
Barrel	2	2
Black, English Trefoil	2	2
Burr	2	2
Button	2	2
Disc	2	2
Gama	3	2
Snail	3	2
Spotted	2	2
Strand (Harbinger)	2	2
Melilot, King Island	2	2
Melons	1	2
Millet	2	2
Millet		
Broom	2	2
French	2	2
Italian/Foxtail	2	2
Japanese	2	2
Pearl	2	2
Mint	3	3
Mitchell Grass	3	3
Molasses Grass	3	3
Mustard	2	2
Nandi Setaria	1	2
Niger Seed	1	2
Oats	2	1
Okra	1	2
Onion	1	2
Ornamental Flowers	1	3
Para Grass	3	3
Parsley	2	3
Parsnip	2	3
Paspalum	3	3
Passionfruit	1	2
Pawpaw	1	2
Pea	1	2
Pea		
Chick	1	2
Cow	1	2
Field	1	2
Garden	1	2
Perennial	1	2
Pigeon	1	2
Peanuts	1	3
Phalaris	2	3
Pine	1	2
Plicatum Grass	3	3
Poppy Seed	3	3
Prairie Grass	2	3
Prairie Grass		
Perennial	2	3
Puccinellia	3	3
Pueraria	1	2

Species	Group No. for Purity Analysis	Group No. for Germination Analysis
Pumpkin	1	2
Radish	2	2
Rape	2	2
Rapeseed	2	2
Rhodes Grass	3	3
Rhubarb	1	3
Rice	1	3
Rockmelon	1	2
Rosella	1	2
Ryecorn	2	2
Ryegrass		
Annual	3	4
Perennial	3	3
Unspecified	3	3
Safflower	1	3
Sage	1	2
Sainfoin	2	2
Salsify	2	3
Savoy	2	3
Scorbic Grass	3	3
Serradella	2	3
Sesame	1	2
Setaria	3	3
Shallot	1	2
Sheep's Burnet	1	2
Silver Grass	2	3
Sorghum	2	2
Spearmint	3	3
Spinach	2	3
Squash	1	2
Stock	1	3
Stylo	2	3
Sudan Grass	2	3
Sunflower	1	3
Swede	2	2
Tarragon	3	3
Thyme	3	3
Timothy Grass	2	3
Tobacco	2	3
Tomato	2	2
Townsville Lucerne	2	3
Triticale	2	2
Turnip	2	2
Veldt Grass	3	4
Vetch	2	2
Vigna	1	2
Watermelon	1	2
Wheat	1	1
Wheat Grass		
Crested	4	3
Intermediate	4	3
Tall	4	3

Species	Group No. for Purity Analysis	Group No. for Germination Analysis
Wood Bluegrass		
Meadow Grass	2	3
Yellow Sweet Clover	3	2
Zucchini	1	2

APPENDIX

LEGISLATIVE HISTORY

Regulation 3(1):	definition of "the Department" inserted by 204, 1992, reg. 3
Regulation 12:	substituted by 204, 1992, reg. 4; 2, 1997, reg. 3
Regulation 12(2):	substituted by 235, 1987, reg 3; 217, 1988, reg. 3
Schedule 1:	varied by 46, 1987, reg. 2; substituted by 224, 1991, reg. 2
Schedule 2:	substituted by 46, 1987, reg. 3; 224, 1991, reg. 2
Schedule 5:	inserted by 217, 1988, reg. 4; varied by 184, 1989, reg. 2; 236, 1991, reg. 2; 204, 1992, reg. 5; 75, 1994, reg. 3; substituted by 2, 1997, reg. 4